



Successful HCV Treatment Reverses Some Cognitive Decline in Small Study

The ongoing study includes those with and without HIV, which is associated with declining cognitive function.

January 30, 2017

Curing hepatitis C virus (HCV) may dial back some forms of cognitive decline in those with and without HIV.

Publishing the findings of their ongoing study in a letter in the journal *Neurology*, German researchers designed an open observational trial of individuals with HCV who did and did not have HIV. They also assessed a group of controls (individuals who did not have either virus) to serve as a comparison to the others before they started hep C treatment.

None of the participants who had HCV had cirrhosis of the liver, a history of substance dependence or cerebral diseases. All those with HIV had an undetectable viral load for at least six months.

The participants received a battery of tests of cognitive function, some of which were based on self-reporting. These tests were taken upon entry into the study and a second time at least 12 weeks after completing treatment for HCV.

In 2015 and 2016, the researchers assessed 25 HCV-positive individuals, 15 of whom had HIV. All but one individual was male.

At the study's outset, those with hep C had significantly poorer performance with regard to visual and working memory, processing speed, attention and executive function (which includes a series of cognitive processes integral for cognitive control over behavior) compared with the control group. The researchers did not see a difference in cognitive function based on HIV status.

So far, 12 of the participants have completed HCV treatment: two with Technivie (ombitasvir/paritaprevir/ritonavir) plus ribavirin, nine with Harvoni (ledipasvir/sofosbuvir) and one with Sovaldi (sofosbuvir) plus ribavirin. All of them achieved a sustained virologic response 12 weeks after completing therapy (SVR12, considered a cure).

Tests indicated that between the study's outset and the follow-up assessment, those who were cured of hep C experienced improvements in visual memory, processing speed, attention and

executive functioning. The severity of fatigue also declined while self-reported quality of life improved.

The study is limited by its small sample size.

To read the Neurology letter, [click here](#).

© 2026 Smart + Strong All Rights Reserved.

<http://beta.docker.hepmag.com/article/successful-hcv-treatment-reverses-cognitive-decline-small-study>