



Hepatitis Risk Factors

January 28, 2013 By [Lucinda K. Porter RN](#)

Question #1: What hepatitis C risk factors are missing from these United Healthcare Hepatitis Screening Guidelines? (I'll mention the ones I see missing later - want you to have a chance to answer first.)

- Persons with a history of sexually transmitted infections (STI)
- Men who have sexual relations with men
- Persons with multiple sexual partners
- Persons who have experienced Intercourse with trauma
- Human Immunodeficiency Virus (HIV) infected persons
- Persons who have history of using injection and non injection illicit drugs
- Persons born in regions or who have traveled to countries with high or intermediate prevalence of hepatitis A virus (HAV) or hepatitis B virus (HBV) infection
- All pregnant women including those with a sexually transmitted infection (STI)
- Persons who have received blood transfusion or organ transplantation before July 1992
- Recipient of clotting factor concentrates made before 1987
- Hemodialysis patients
- Patients prior to initiating TNF blocker immunosuppressive therapy

Question #2: Why is intercourse capitalized in this bullet, "Persons who have experienced Intercourse with trauma." "Do you think the company's spellchecker thought they meant Intercourse, PA? That sounds traumatic."

© 2026 Smart + Strong All Rights Reserved.

<http://beta.docker.hepmag.com/blog/hepatitis-risk-facto>